





Multiple Protection Smart BMS For Safe Operation



- Overcharge protection function
- Over current protection function
- Temperature protection function

- Overdischarge protection function
- Short circuit protection function
- Cell balance function

Built-in BMS Protection



Overcharge protection



Overdischarge protection




Overcurrent protection



Short circuit protection



Cell voltage self balance



BMS PROTECTION

BUILT-SMART BMS



Overcharge
Protection



Over discharge
Protection



Short Circuit
Protection



High/Low
Temp Protection



Overcurrent
Protection




Equalizing
Voltage

BMS

Compatible with multiple inverters

Strong compatibility,
suitable for various inverter brands



□□□□ □□□□□□ □□□□□□□□□□□□ □□□□

□□□□	□□□□	□□□□	□□□□
□□□□	□□□□□□□□ □□□	51.2 □□□□	16S
	□□□□□□□□ □□□	100 □h	0.5 □□□□□ □□□□
	□□□□□ □□□ □□□	58.4 □□□□	□□□□ 3.65 □□□□□ □□□□
	□□□□□ □□□ □□□□□	40 □□□□	□□□□□□□ □□□□□ □□□□ 2.5 □□□□□ □□□□
	□□□□□ □□□□	100 □	200-□□□□□□ □□□□□□ □□□□□A
	□□□□□□ □□□□□□□	100 □	□□□□□□□ □□□□□ □□□□
	□□□□□□□ □□□□□□□	≥25mΩ	
□□□□□□□	□□□□□ □□□□□ □□□ □□ □□□□□□□	58.4 □□□□	□□□□□□□ □□□□
	□□□□□ □□□□□ □□□□□□□ □□ □□□□□□□	40 □□□□	□□□□□□□ □□□□
	□□□□□□□ □□□□□□ □□ □□□□□□□ □□□	100 □	□□□□□□□ □□□□
	□□□□□□□ □□□ □□□□□	□□□	□□□□□ □□ □□□□□□□□ □□□ □□□□
	□□□□□□□ □□□□ □□□□□ BMS	-25 □□□□ 70 ~ □□□□□ □□□□ □□□□□	□□□□□□□ □□□□□ □□□□□□□□□ □□□□□ □□□□□□□
□□□□ □□□□□□	□□□□□ □□□□□ □□□□	-10 □□□□ 60 ~ □□□□□ □□□□ □□□□□	
	□□□□□□ □□□□□□□ □□□□□ □□□□	-20 □□□□ 55 ~ □□□□□ □□□□ □□□□□	
	□□□□□□□ □□□□□□□	95%	
	□□□□□ □□□□□	70 □□□□ 106 - □□□□□□ □□□□ □□□□□	
□□□□□	□□□	46 ± 1% □□□	□□□□□□ □□□□□
	□□□	60±1% □□□	□□□□□□□ □□□□□
	□□□□□□□□ □□□□□□□ :□□□□□□□ □□	□□□□□□□□ □□□□□□□ □□□□	□□□□□□□□) □□□□ □□□□□
	□□□□	620 × 400 × 240 ± 3 □□	□□□□ □□□□□ □□□□ □□
	□□□□	725 × 485 × 465 ± 3 □□	□□□□ □□□□□□□ □□□