

Das Produkt verwendet eine erstklassige A-Zelle, die für eine Lebensdauer von über 10 Jahren ausgelegt ist;

Einfache Wartung und Bedienung;

Funktionen:

1. Übertemperatur-Alarmschutz
2. Überladungs- und Tiefentladungsschutz
3. Kurzschlusschutz
4. Nahtlose Verbindung mit USV, Photovoltaik-Stromerzeugung und anderen Hauptgeräten

Breite Kompatibilität

GSO ist stolz, bekannt geben zu können, dass unsere Module mit den meisten Wechselrichtern auf dem Markt zusammenarbeiten können.

Weitere Marken folgen bald...









# BUILT-SMART BMS



Overcharge  
Protection



Over discharge  
Protection



Short Circuit  
Protection



High/Low  
Temp Protection




Overcurrent  
Protection



Equalizing  
Voltage

**BMS**

## Multiple Protection Smart BMS For Safe Operation



- Overcharge protection function
- Over current protection function
- Temperature protection function

- Overdischarge protection function
- Short circuit protection function
- Cell balance function

# Built-in BMS Protection



Overcharge protection



Overdischarge protection




Overcurrent protection



Short circuit protection



Cell voltage self balance



# BMS PROTECTION

# Automated workbench display





