

Built-in BMS Protection



Overcharge
protection



Overdischarge
protection




Overcurrent
protection



Short circuit
protection



Cell voltage
self balance



BMS PROTECTION

BUILT-SMART BMS



Overcharge
Protection



Over discharge
Protection



Short Circuit
Protection



High/Low
Temp Protection




Overcurrent
Protection



Equalizing
Voltage

BMS



PACKAGING & SHIPPING





Home energy storage



Home energy storage



Agricultural energy storage



PV/Solar panels



Outdoor/RV electricity



Yacht/Boat electricity



Industrial energy storage



Communication base station



Utility grid/Ups systems/

We provide one-stop purchasing service

We (Qishou) provide one-line one-to-one guidance



QISHOU QISHOU QISHOU QISHOU

	QISHOU	QISHOU	QISHOU
--	--------	--------	--------

模组规格	额定电压	12.8V	4S
	额定容量	100Ah	0.5C
	额定电压 充电电压	14.6V	3.65 单节 48V
	额定电压 放电电压	10V	2.5 单节 48V-0.5V单节
	额定电流	100A	200-0.5C 0.5A
	额定电压	100A	0.5C 0.5C 0.5C
	额定电压 额定电压	≤25mΩ	
模组规格	额定电压 额定电压	14.6V	0.5C 0.5C
	额定电压 额定电压	10V	0.5C 0.5C
	额定电压 额定电压	100A	0.5C 0.5C
	额定电压 额定电压	0.5C	0.5C 0.5C 0.5C 0.5C 0.5C
	BMS 额定电压	-25℃ ~ 70℃	0.5C 0.5C 0.5C 0.5C 0.5C
模组规格 额定电压 额定电压	额定电压 额定电压	-10℃ ~ 60℃	
	额定电压 额定电压	-20℃~55℃	
	额定电压	95%	
	额定电压	70kPa-106kPa	
模组规格	额定电压	10 0.5C	0.5C 0.5C
	额定电压	11±0.3% 0.5C	0.5C 0.5C
	额定电压	522x238x222±3 0.5C	0.5C 0.5C
	额定电压	595x312x297±3 0.5C	0.5C 0.5C 0.5C