

備註: 1. 該電池為lifepo4電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD). 2. 該電池為lifepo4電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD).

備註 BMS: 該電池為LifePO4 200Ah電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD). 該電池為lifepo4電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD).

12 個月: 該電池為lifepo4 200Ah電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD). 該電池為lifepo4電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD).

, (該電池為lifepo4 200Ah電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD). 該電池為lifepo4電池, 其電壓為3.2V, 其電流為2560A, 其容量為2560Wh 80%@ 6000DOD).







6000 Cycle Life

Deep Cycle Rechargeable LiFePO4 Battery Pack

MEGMEET

12.8V 200Ah



LITHIUM IRON
PHOSPHATE BATTERY

Cautions:

- DO NOT Short circuit
 - DO NOT Reverse connections from charger to battery
 - DO NOT Disassemble
 - DO NOT Heat above 70°C
 - DO NOT Immerse the battery in water or allow it to get wet
 - DO NOT Use battery in the strong electrostatic and magnetic field
- Charge with specified charge according to charging requirement

CE RoHS
MADE IN CHINA

Built-in BMS Protection



Overcharge
protection



Overdischarge
protection




Overcurrent
protection



Short circuit
protection



Cell voltage
self balance



BMS PROTECTION

BUILT-SMART BMS



Overcharge
Protection



Over discharge
Protection



Short Circuit
Protection



High/Low
Temp Protection




Overcurrent
Protection



Equalizing
Voltage

BMS



PACKAGING & SHIPPING





We provide one-stop purchasing service

We (Qishou) provide one-line one-to-one guidance



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

	□□□□□□	□□□□□□□□	□□□□
--	--------	----------	------

電池仕様	電池電圧	12.8V	4S
	電池容量	200Ah	0.5C
	電池充電電圧	14.6V	3.65 電池電圧
	電池充電電圧	10V	2.5 電池電圧 0.5V-0.000000
	電池電流	200A	200-電池電流
	電池電流	200A	電池電流 電池電流
	電池電流 電池電流	≤25mΩ	
電池仕様	電池電圧 電池電流	14.6V	電池電流 電池電流
	電池電圧 電池電流	10V	電池電流 電池電流
	電池電流 電池電流 電池電流	200A	電池電流 電池電流
	電池電流 電池電流 電池電流	電池電流	電池電流 電池電流 電池電流 電池電流 電池電流
	BMS 電池電流 電池電流	-25°C ~ 70°C	電池電流 電池電流 電池電流 電池電流 電池電流
電池電流 電池電流 電池電流	電池電流 電池電流	-10°C ~ 60°C	
	電池電流 電池電流 電池電流	-20°C~55°C	
	電池電流 電池電流	95%	
	電池電流 電池電流	70kPa-106kPa	
電池電流	電池電流	19 電池電流	電池電流
	電池電流	21±0.3% 電池電流	電池電流 電池電流
	電池電流	522x238x222±3 電池電流	電池電流 電池電流
	電池電流	595x312x297±3 電池電流	電池電流 電池電流 電池電流